INDEX TO VOLUME 16

AUTHOR INDEX

A

AIMAN, Ranita. *See* SACHDEV, K. S., *et al.*, 146
ARMITAGE, A. K., BOSWOOD, Janet, and LARGE, B. J. Thioxanthines with potent bronchodilator and coronary dilator properties, 59
ÅSTRÖM, A., and PERSSON, N. H. Some pharmacological properties of *o*-methyl-α-propylaminopropionanilide, a new local anaesthetic, 32
AZARNOFF, D. L., and BURN, J. H. Effect of noradrenaline on the action of nicotine and tyramine on isolated atria, 335

B

BARLOW, R. B. Effects on amine oxidase of substances which antagonize 5-hydroxytryptamine more than tryptamine on the rat fundus strip, 153
BENFEY, B. G. Cardiovascular actions of phenoxybenzamine, 6
BENTLEY, P. J., and MCEWEN, Eleanor. Effects of ion changes on the contraction of the rat uterus stimulated by oxytocin, 45
BIANCHI, G. *See* MAFFII, G., *et al.*, 231
BOSWOOD, Janet. *See* ARMITAGE, A. K., *et al.*, 59
BURN, G. P., and BURN, J. H. Uptake of labelled noradrenaline by isolated atria, 344
BURN, J. H. *See* AZARNOFF, D. L., *et al.*, 335
BURN, G. P., *et al.*, 344
BYCK, R. Effect of hexamethonium on the carotid chemoreceptor response to nicotine and cyanide, 15

C

CAVANAGH, J. B., and HOLLAND, P. Localization of cholinesterases in the chicken nervous system and the problem of the selective neurotoxicity of organophosphorus compounds, 218
CURTIS, D. R., PHILLIS, J. W., and WATKINS, J. C. Actions of amino-acids on the isolated hemisected spinal cord of the toad, 262

D

DHAWAN, B. N., SAXENA, P. N., and GUPTA, G. P. Antagonism of apomorphine-induced pecking in pigeons, 137

E

EAKINS, K. E., and LOCKETT, Mary F. Formation of an isoprenaline-like substance from adrenaline, 108
EMMELIN, N., and ENGSTRÖM, J. Supersensitivity of salivary glands following treatment with bretylium or guanethidine, 315
ENGSTRÖM, J. *See* EMMELIN, N., *et al.*, 315

F

FAWAZ, G. Effect of mephentermine on isolated dog hearts, normal and pretreated with reserpine, 309

G

GINSBURG, M. *See* SMITH, M. W., *et al.*, 244
GOKHALE, S. D., and GULATI, O. D. Potentiation of inhibitory and excitatory effects of catechol amines by bretylium, 327
GRAHAM, J. D. P. Effect of reserpine on the pressor response to injection of 2-halogenoethylamines, 77
GULATI, O. D. *See* GOKHALE, S. D., *et al.*, 327
GUPTA, G. P. *See* DHAWAN, B. N., *et al.*, 137

H

HEATLEY, N. G. *See* JAGO, M., *et al.*, 170
HERMANSEN, K. Effect of adrenaline, noradrenaline and isoprenaline on the guinea-pig uterus, 116
HINTON, J. M. Actions of amylobarbitone sodium, butobarbitone and quinalbarbitone sodium upon insomnia and nocturnal restlessness compared in psychiatric patients, 82
HOLLAND, P. *See* CAVANAGH, J. B., *et al.*, 218
HUKOVIĆ, S. Responses of the isolated sympathetic nerve–ductus deferens preparation of the guinea-pig, 188

J

JAGO, M., and HEATLEY, N. G. Some biological properties of cephalosporin C and a derivative, 170

K

KRIVOY, W. A. Potentiation of substance P by lysergic acid diethylamide *in vivo*, 253

L

LARGE, B. J. *See* ARMITAGE, A. K., *et al.*, 59
LAURENCE, D. R., and WEBSTER, R. A. Tachyphylaxis to the anti-tetanus activity of some phenothiazine compounds, 296

LEŠIĆ, R., and VARAGIĆ, V. Factors influencing the hypertensive effect of eserine in the rat, 99
——, ——. Effect of noradrenaline, bretylium and cocaine on the blood pressure response to tyramine in the rat, 320
LILJA, B., and LINDELL, S.-E. Metabolism of [^{14}C]-histamine in heart–lung–liver preparations of cats, 203
LINDELL, S.-E. *See* LILJA, B., *et al.*, 203
LLOYD, Sybil, and PICKFORD, Mary. Persistence of a depressor response to oxytocin in the fowl after denervation and blocking agents, 129
LOCKETT, Mary F. *See* EAKINS, K. E., *et al.*, 108

M

MCEWEN, Eleanor. *See* BENTLEY, P. J., *et al.*, 45
MAFFII, G., BIANCHI, G., SCHIATTI, P., and SILVESTRINI, B. Action of 5,5-diethyl-1,3-oxazine-2,4-dione (dioxone) on respiration and circulation, 231
MARSHALL, P. B. Effect of sex hormones on the excretion of free histamine by male and female rats, 50
MUSCHOLL, E. Effect of cocaine and related drugs on the uptake of noradrenaline by heart and spleen, 352

N

NORTHOVER, B. J., and SUBRAMANIAN, G. Some inhibitors of histamine-induced and formaldehyde-induced inflammation in mice, 163

P

PERSSON, N. H. *See* ÅSTRÖM, A., *et al.*, 32
PHILLIS, J. W. *See* CURTIS, D. R., *et al.*, 262
PICKFORD, Mary. *See* LLOYD, Sybil, *et al.*, 129
POZZATTI, C. *See* SILVESTRINI, B., *et al.*, 209

R

RAJAPURKAR, M. V. *See* SACHDEV, K. S., *et al.*, 146

S

SACHDEV, K. S., AIMAN, Ranita, and RAJAPURKAR, M. V. Antihistaminase activity of serpentine, 146
SAXENA, P. N. *See* DHAWAN, B. N., *et al.*, 137
SCHAIN, R. J. Effects of 5-hydroxytryptamine on the dorsal muscle of the leech (*Hirudo medicinalis*), 257
SCHIATTI, P. *See* MAFFII, G., *et al.*, 231
SILVESTRINI, B., and POZZATTI, C. Pharmacological properties of 3-phenyl-5β-diethylaminoethyl-1,2,4-oxadiazole, 209
——. *See also* MAFFII, G., *et al.*, 231
SMITH, M. W., and GINSBURG, M. Fate of synthetic oxytocin analogues in the rat, 244
SPROULL, D. H. Salicylate and liver glutathione, 180
STACEY, R. S. Uptake of 5-hydroxytryptamine by platelets, 284
SUBRAMANIAN, G. *See* NORTHOVER, B. J., *et al.*, 163
SULLIVAN, T. J. Effect of antibiotics on the 5-hydroxytryptamine content of the small intestine and other organs in rats and mice, 90
SZERB, J. C. Effect of morphine on the adrenergic nerves of the isolated guinea-pig jejunum, 23

T

TELFORD, J. M., and WEST, G. B. Some effects of corticosteroids on the metabolism of histamine and 5-hydroxytryptamine in the rat, 360

V

VARAGIĆ, V. *See* LEŠIĆ, R., *et al.*, 99, 320

W

WAALER, B. A. Effect of dopamine on the isolated perfused lung lobes of the dog, 195
WATKINS, J. C. *See* CURTIS, D. R., *et al.*, 262
WEBSTER, R. A. *See* LAURENCE, D. R., *et al.*, 296
WEST, G. B. *See* TELFORD, J. M., *et al.*, 360

SUBJECT INDEX

A

AT 3. *See* Ethylfluoren-9-yl(2-iodoethyl)amine

Acepromazine, antitetanus action of, and effect of chlorpromazine on, 297

——, effect on antitetanus action of chlorpromazine, mephenesin and thiopentone, 300

N-Acetyl-*p*-aminophenol. *See* Paracetamol

Acetylcholine, response of blood pressure to, effect of Oxolamine on, 214

——, response of leech dorsal muscle to, effect of 5-hydroxytryptamine and lysergic acid diethylamide on, 258

——, response of small intestine to, effect of atropine on, 26

——, ——, effect of choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate on, 66

——, ——, effect of Oxolamine and papaverine on, 214

——, ——, effect of serpentine on, 149

——, response of uterus to, effect of adrenaline and isoprenaline on, action of bretylium, 333

——, ——, effect of bretylium on, 333

Acetylsalicylic acid (*aspirin*):

——, analgesic action of, 213

——, anti-inflammatory and antipyretic actions of, 215

——, sodium salt of, effect on formaldehyde-induced inflammation, in mouse, 165

Actinobovis israeli, sensitivity to cephalosporin C and its pyridinium derivative, 173

Activity, nocturnal, device for recording, 83

——, ——, effect of barbiturates on, in psychiatric patients, 82

——, voluntary, effect of choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate on, 73

——, ——, effect of Oxolamine on, 212

Adrenalectomy, effect on histaminase activity in rat ileum, 364

——, effect on histamine and 5-hydroxytryptamine metabolism, in rat, 364

——, effect on response of blood pressure to 2-halogenoethylamines, 79

Adrenaline, effect on action of reserpine on response of blood pressure to 2-halogenoethylamines, 79

——, effect on formaldehyde-induced inflammation, in mouse, 165

——, effect on glycogen in uterus, 126

——, effect on response of heart beat to phenoxybenzamine in ganglionic blockade, 12

——, effect on response of tracheal-chain preparation to pilocarpine, action of bretylium, 322

——, effect on response of uterus to acetylcholine, action of bretylium, 333

——, formation of isoprenaline-like substance from, 108

——, in rat heart, and effect of pithing, 353

——, response of aortic-strip preparation to, effect of bretylium on, 330

——, response of blood pressure to, effect of bretylium on, and action of cocaine, in rat, 102

——, ——, effect of Oxolamine on, 214

——, ——, effect of phenoxybenzamine on, in ganglionic blockade, 12

——, response of blood pressure and heart beat to, effect of dichloroisoproterenol on, in phenoxybenzamine-treated dog, 12

Adrenaline (*cont.*)

——, response of blood pressure and nictitating membrane to, effect of bretylium on, in intact, vagotomized and spinal vagotomized cats, 328

——, response of heart beat to, effect of dichloroisoproterenol and phenoxybenzamine on, 12

——, response of heart isolated from reserpine-treated and untreated dogs to, 310

——, response of isolated perfused dog lung to, 196

——, response of uterus to, and effect of dichloroisoprenaline and isoprenaline on, 116

Adrenergic nerves, of isolated guinea-pig jejunum, effect of atropine, bretylium, cocaine, hexamethonium, morphine and nalorphine on, 23

Adrenolytic agents, effect on amines in aortic plasma, 111

——, effect on apomorphine-induced emesis and pecking, in pigeon, 142

β-Alaninamide, effect on ventral root potentials in isolated toad spinal cord, 262

D- *and* L-α-**Alanine**, effect on ventral root potentials in isolated toad spinal cord, 262

β-Alanine, effect on ventral root potentials in isolated toad spinal cord, 262

Amethocaine, anaesthetic action and toxicity of, 36

——, effect on pressor action of noradrenaline and uptake of noradrenaline by heart, in pithed rat, 356

Amidopyrine, effect on formaldehyde-induced inflammation, in mouse, 165

Amine oxidase, effect of substances which antagonize 5-hydroxytryptamine more than tryptamine on rat fundus strip on, 153

——, of guinea-pig liver and rat fundus, 153

Amine-oxidase inhibitors, effect on amines in aortic plasma, 111

Amino-acids, effect on ventral root potentials of isolated toad spinal cord, 262

DL-α-Aminoadipic acid, effect on ventral root potentials in isolated toad spinal cord, 262

4-Aminobutanesulphonic acid, effect on ventral root potentials in isolated toad spinal cord, 262

γ-Aminobutyramide, effect on ventral root potentials in isolated toad spinal cord, 262

γ-Aminobutyric acid, effect on ventral root potentials in isolated toad spinal cord, 262

γ-Amino-*NN*-dimethylbutyric acid, effect on ventral root potentials in isolated toad spinal cord, 262

2-Aminoethylmalonic acid, effect on ventral root potentials in isolated toad spinal cord, 262

β-Aminoglutaric acid, effect on ventral root potentials in isolated toad spinal cord, 262

Aminoguanidine, effect on histamine excretion, in rats, 55

——, effect on response of small intestine to histamine, 151

——, effect on response of tracheal-chain preparation to histamine, 150

7-Aminoheptanoic acid, effect on ventral root potentials in isolated toad spinal cord, 262

6-Aminohexanoic acid, effect on ventral root potentials in isolated toad spinal cord, 262

DL-α-Aminoisobutyric acid, effect on ventral root potentials in isolated toad spinal cord, 262

Aminomalonic acid, effect on ventral root potentials in isolated toad spinal cord, 262

Aminomethanesulphonic acid, effect on ventral root potentials in isolated toad spinal cord, 262

γ-Amino-*N*-methylbutyric acid, effect on ventral root potentials in isolated toad spinal cord, 262
DL-2-Aminomethylsuccinic acid, effect on ventral root potentials in isolated toad spinal cord, 262
9-Aminononanoic acid, effect on ventral root potentials in isolated toad spinal cord, 262
8-Amino-octanoic acid, effect on ventral root potentials in isolated toad spinal cord, 262
DL-α-Aminopimelic acid, effect on ventral root potentials in isolated toad spinal cord, 262
2-Aminopropanesulphonic acid, effect on ventral root potentials in isolated toad spinal cord, 262
DL-α-Aminosebacic acid, effect on ventral root potentials in isolated toad spinal cord, 262
L-α-Amino-β-sulphinopropionic acid, effect on ventral root potentials in isolated toad spinal cord, 262
δ-Aminovaleric acid, effect on ventral root potentials in isolated toad spinal cord, 262
Amphetamine, effect on uptake of 5-hydroxytryptamine by platelets, 291
Amylobarbitone, effect on insomnia and nocturnal restlessness, in psychiatric patients, 82
Anaesthetic action, local, of Oxolamine, 214
——, of amethocaine, lignocaine, *o*-methyl-α-propylaminopropionanilide and procaine, 34
Analgesic action, of acetylsalicylic acid and Oxolamine, 213
Analgesics, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Androgens, effect on histamine excretion by female rat, 50
Antiacetylcholine action, of atropine, choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, and promethazine, 63, 66
Antiadrenaline agents. *See* Adrenolytic agents
Antiadrenergic agents. *See* Adrenolytic agents
Antianaphylactic action, of choline 3-isobutyl-1-methyl-6-thioxanthinate, 65
Antibacterial action, of benzylpenicillin, cephalosporin C and its pyridinium derivative, and cephalosporin N, 173
Antibiotics, effect on body and splenic weights, 5-hydroxytryptamine in organs and tissues, and intestinal flora, in mouse and rat, 90
Anticholinergic agents, effect on apomorphine-induced emesis and pecking, in pigeon, 142
Anticonvulsant action. *See* Antitetanus action
Antiemetics, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Antihistaminase action, of serpentine, 146
Antihistaminic action, of atropine, choline theophyllinate and 6-thiotheophyllinate, and promethazine, 63, 66
Antihistaminics, effect on apomorphine-induced emesis and pecking, in pigeon, 142
Anti-inflammatory action, of analgesics–antipyretics, antiesterases, α-aryloxypropionates, cortisone, ephedrine, mepyramine, methocarbamol and tolazoline, in mouse, 163
——, of aspirin, Oxolamine and phenylbutazone, 215
Antipyrin. *See* Phenazone
Antispasmodic action, of Oxolamine and papaverine, 214
Antitetanus action, of acepromazine and chlorpromazine, tachyphylaxis to, 296
Antitussive action, of codeine and Oxolamine, 212
Aortic-strip preparation, response to adrenaline and noradrenaline, effect of bretylium on, 330
Apomorphine, induction of emesis and pecking by, effect of antiemetics, antihistaminics, autonomic-blocking agents, and central-nervous depressants and stimulants on, in pigeon, 137
D- *and* L-**Asparagine,** effect on ventral root potentials in isolated toad spinal cord, 262
D-, L- *and* DL-**Aspartic acid,** effect on ventral root potentials in isolated toad spinal cord, 262
Aspirin. *See* Acetylsalicylic acid
Atrium, isolated, response to nicotine and tyramine, and effect of bretylium, noradrenaline and reserpine on, 335
——, ——, response to noradrenaline, effect of reserpine on, 339
——, ——, response to reserpine, 339
——, ——, uptake and output of noradrenaline by, and effect of cocaine, noradrenaline and tyramine on, 344
Atropine, antiacetylcholine and antihistaminic actions of, 64
——, effect on action of choline on response of uterus to oxytocin, 47
——, effect on action of dopamine, ephedrine and noradrenaline on response of small intestine to histamine, 29
——, effect on action of serpentine on response of small intestine to histamine, 149
——, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, effect on formaldehyde-induced inflammation, in mouse, 165
——, effect on intestinal motility, 214
——, effect on pressor action of noradrenaline and uptake of noradrenaline by heart, in pithed rat, 356
——, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 131
——, effect on response of blood pressure and heart beat to phenoxybenzamine, in vagotomized dog, 9
——, effect on response of small intestine to acetylcholine, 26
——, effect on response of small intestine to adrenergic-nerve stimulation and histamine, 25
——, effect on response of small intestine to choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 67
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Autonomic-blocking agents, effect on apomorphine-induced emesis and pecking, in pigeon, 137
——, effect on response of blood pressure to oxytocin and vasopressin, in hen, 131
Azacyclonal, effect on apomorphine-induced emesis and pecking, in pigeon, 141

B

B.C. 7586. *See* Sodium α-*p*-s-butylphenoxypropionate
B.C. 8402. *See* Sodium α-*p*-diphenylyloxypropionate
B.C. 8422s. *See* Sodium α-*p*-hydroxyphenoxypropionate
B.C. 8424s. *See* Sodium α-*p*-carboxyphenoxypropionate
Bacillus anthracis, sensitivity to cephalosporin C and its pyridinium derivative, 173
Bacteria, intestinal, effect of antibiotics on, in mouse and rat, 93
Bacterium friedländeri, sensitivity to cephalosporin C and its pyridinium derivative, 173
Barium chloride, response of small intestine to, effect of Oxolamine and papaverine on, 214
Behaviour, effect of codeine and Oxolamine on, 212
Bemegride (*Megimide*):
——, response of blood pressure to, in anaesthetized, curarized, decerebrate and spinal animals, 238
——, response of heart beat to, 239

Bemegride (*cont.*)
——, response of respiration to, in decerebrate and pentobarbitone-treated animals, 237
Benactyzine, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Benzhexol, effect on apomorphine-induced emesis and pecking, in pigeon, 142
Benzoate, effect on liver reduced glutathione, in rat, 182
5-Benzyloxy-3-(2-dimethylaminoethyl)indole, effect on amine-oxidase activity, 153
5-Benzyloxydimethyltryptamine. *See* 5-Benzyloxy-3-(2-dimethylaminoethyl)indole
Benzyloxygramine, effect on uptake of 5-hydroxytryptamine by platelets, 291
Blood flow, coronary, response to choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 67
——, response to mephentermine, 312
Blood plasma, aortic, amines in, effect of amine-oxidase and *O*-methyl-transferase inhibitors, antiadrenaline agents and reserpine on, 111
——, platelet-rich, preparation of, 284
——, protein of, binding of 5-hydroxytryptamine by, effect of *p*H on, 286
Blood platelets, human, uptake of 5-hydroxytryptamine by, comparison of fluorimetric and radioactive-tracer methods of measurement, 287
——, ——, ——, and effect of chlorpromazine, cocaine, dihydroergotamine, imipramine, lysergic acid diethylamide, tryptamine and other substances on, 284
——, ——, ——, effect of glucose, nitrogen, oxygen and *p*H on, 284
——, ——, uptake of tryptamine by, effect of *p*H and temperature on, 287
——, 5-hydroxytryptamine in, effect of antibiotics on, in mouse and rat, 92
Blood pressure, response to acetylcholine, adrenaline, dimethylphenylpiperazinium iodide and vagal stimulation, effect of Oxolamine on, 214
——, response to adrenaline, effect of dichloroisoproterenol on, in phenoxybenzamine-treated dog, 12
——, response to adrenaline, isoprenaline and noradrenaline, effect of bretylium on, in intact, vagotomized and spinal vagotomized cats, 328
——, response to adrenaline and noradrenaline, effect of phenoxybenzamine on, in ganglionic blockade, 11
——, response to adrenaline and physostigmine (*eserine*), effect of bretylium on, and action of cocaine, in rat, 99
——, response to bemegride (*Megimide*), dioxone and leptazol, in anaesthetized, curarized, decerebrate and spinal animals, 231
——, response to bretylium, in cat, 328
——, response to carotid occlusion, effect of bretylium on, in rat, 103
——, response to carotid occlusion and stimulation of Hering's nerve, effect of dioxone on, 239
——, response to choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, and effect of atropine and mepyramine on, 66
——, response to dibenamine and phentolamine in ganglionic blockade, 12
——, response to hexamethonium, effect of phenoxybenzamine on, 11
——, response to lignocaine and *o*-methyl-α-propylaminopropionanilide, 36
——, response to noradrenaline, effect of amethocaine, atropine, cocaine, α-cocaine, dibenamine and dichloroisoprenaline on, in pithed rat, 355
Blood pressure (*cont.*)
——, response to noradrenaline and physostigmine (*eserine*), effect of choline 2,6-xylyl ether on, in rat, 105
——, response to Oxolamine, 214
——, response to oxytocin and vasopressin, and effect of autonomic-blocking agents, decapitation, decerebration, progesterone and stilboestrol on, in chicken, 129
——, ——, effect of reserpine on, and action of noradrenaline, in chicken, 134
——, response to pentolinium, and effect of phenoxybenzamine on, 7
——, response to phenoxybenzamine, and effect of atropine and ganglion-blocking agents on, in guanethidine- and reserpine-treated and untreated dogs, 6
——, ——, effect of cocaine and iproniazid on, in ganglionic blockade, 11
——, ——, effect of dichloroisoproterenol on, in ganglionic blockade, 12
——, response to physostigmine (*eserine*), effect of hypothermia and noradrenaline on, in rat, 99
——, ——, effect of reserpine on, and action of dihydroxyphenylalanine, 5-hydroxytryptamine, isopropylisoniazid and noradrenaline on, in rat, 99
——, response to reserpine, effect of cocaine on, in ganglionic blockade, 11
——, ——, effect of guanethidine on, in ganglionic blockade, 10
——, response to tyramine, and effect of bretylium and cocaine on, and action of dihydroxyphenylalanine and noradrenaline, in rat, 320
——, ——, and effect of dihydroxyphenylalanine and noradrenaline on, in rat, 320
——, ——, effect of reserpine on, in chicken, 134
Blood serum, cephalosporin C and its pyridinium derivative in, after oral and parenteral administration, in mouse, 176
Blood vessels. *See* Aortic strip *and* Vasoconstrictor action *and* Vasodilator action
Body temperature. *See* Hypothermia
Brain, 5-hydroxytryptamine in, effect of antibiotics on, in mouse and rat, 92
Brain stem, histochemical cholinesterase activity in, in normal and organophosphate-poisoned chickens, 221, 224
Bretylium tosylate, effect on action of adrenaline and isoprenaline on response of tracheal-chain preparation to pilocarpine, 328
——, effect on action of adrenaline and isoprenaline on response of uterus to acetylcholine, 328
——, effect on action of dopamine, ephedrine and noradrenaline on response of small intestine to histamine, 29
——, effect on pressor action of adrenaline and eserine, and action of cocaine, in rat, 102
——, effect on pressor action of carotid occlusion, in rat, 103
——, effect on response of aortic-strip preparation to adrenaline and noradrenaline, 328
——, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 133
——, effect on response of blood pressure to tyramine, and action of dihydroxyphenylalanine and noradrenaline, in rat, 320

Bretylium tosylate (*cont.*)
——, effect on response of blood pressure and nictitating membrane to adrenaline, isoprenaline and noradrenaline, in intact, vagotomized and spinal vagotomized cats, 327
——, effect on response of isolated atrium to nicotine and tyramine, 340
——, effect on response of salivary glands to noradrenaline, 315
——, effect on response of small intestine to adrenergic-nerve stimulation and histamine, 25
——, effect on response of uterus to acetylcholine, 333
——, response of blood pressure to, in cat, 328
Bromide, effect on response of uterus to oxytocin, 46
(2-Bromoethyl)ethyl(naphth-1-ylmethyl)amine, response of blood pressure to, and effect of adrenalectomy, adrenaline, hexamethonium, noradrenaline and reserpine on, 77
2-Bromolysergic acid diethylamide, effect on *in-vivo* action of lysergic acid diethylamide on dorsal root potentials, 255
——, effect on amine-oxidase activity, 153
——, effect on apomorphine-induced emesis and pecking, in pigeon, 140
——, *in-vivo* effect on dorsal root potentials, 255
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Bronchodilator action, of choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 59
***Brucella* spp.,** sensitivity to cephalosporin C and its pyridinium derivative, 173
Bufo marinus. *See* Toad
Butobarbitone, effect on insomnia and nocturnal restlessness, in psychiatric patients, 82
γ-Butyrobetaine, effect on ventral root potentials in isolated toad spinal cord, 262

C

Caffeine, effect on apomorphine-induced emesis and pecking, in pigeon, 140
Calorigenic action, of mephentermine, 312
Carotid chemoreceptors, response to cyanide and nicotine, effect of hexamethonium on, 15
Carotid occlusion, response of blood pressure to, effect of bretylium on, in rat, 103
——, response of blood pressure and respiration to, effect of dioxone on, 239
Castration, effect on histamine excretion by male rat, 51
Catechol amines, excitatory and inhibitory actions of, potentiation by bretylium, 327
Central action, of choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 73
Central-nervous depressants and stimulants, effect on apomorphine-induced emesis and pecking, in pigeon, 140
Cephalosporin C, biological properties and toxicity of, 170
——, pyridinium derivative of, biological properties and toxicity of, 170
——, ——, effect in experimental streptococcal infection, in mouse, 177
Cephalosporinase activity, of staphylococci, 175
Cerebellum, histochemical cholinesterase activity in, in normal and organophosphate-poisoned chickens, 221, 224
Chicken, normal and organophosphate-poisoned, histochemical cholinesterase activity in central nervous system of, 218
Chloramphenicol, with and without streptomycin, effect on body and splenic weights, 5-hydroxytryptamine content of organs, and intestinal flora, in mouse and rat, 90
Chlordiazepoxide, effect on uptake of 5-hydroxytryptamine by platelets, 291
Chloride, urinary excretion of, effect of chlorothiazide, choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate on, 70
(*p*-Chlorobenzyl)(2-chloroethyl)ethylamine, response of blood pressure to, and effect of adrenalectomy, adrenaline, hexamethonium, noradrenaline and reserpine on, 77
5-(2-Chloroethyl)-4-methylthiazole, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Chlorothiazide, diuretic action of, 70
Chlorpromazine, antitetanus action of, and effect of acepromazine on, 297
——, effect on antitetanus action of acepromazine, mephenesin and thiopentone, 300
——, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Chlorprothixene, effect on uptake of 5-hydroxytryptamine by platelets, 291
Chlortetracycline, with streptomycin, effect on urinary 5-hydroxyindolylacetic acid excretion, in rat, 95
——, with and without streptomycin, effect on body and splenic weights, 5-hydroxytryptamine content of organs, and intestinal flora, in mouse and rat, 90
Choline, effect on response of uterus to oxytocin, and action of atropine, 47
Choline 3-isobutyl-1-methyl-6-thioxanthinate, pharmacological actions and toxicity of, 59
Choline theophyllinate, pharmacological actions and toxicity of, 59
Choline 6-thiotheophyllinate, pharmacological actions and toxicity of, 59
Choline 2,6-xylyl ether, effect on pressor action of eserine and noradrenaline, in rat, 105
Cholinesterases, localization in central nervous system, in cat, guinea-pig, rat and rabbit, 225
——, ——, and selective neurotoxicity of organophosphorus compounds, in chicken, 218
Chronotropic action. *See* Heart beat
***Clostridium* spp.,** sensitivity to cephalosporin C and its pyridinium derivative, 173
Cocaine, effect on action of bretylium on pressor action of adrenaline and eserine, in rat, 103
——, effect on action of dopamine, ephedrine and noradrenaline on response of small intestine to histamine, 29
——, effect on amine content of aortic plasma, 111
——, effect on apomorphine-induced emesis and pecking, in pigeon, 140
——, effect on pressor action of noradrenaline and content and uptake of noradrenaline by heart and spleen, in pithed rat, 352
——, effect on pressor action of reserpine in ganglionic blockade, 11
——, effect on response of blood pressure to tyramine, and action of dihydroxyphenylalanine and noradrenaline, in rat, 320
——, effect on response of blood pressure and heart beat to phenoxybenzamine in ganglionic blockade, 11

Cocaine (*cont.*)
——, effect on response of small intestine to adrenergic-nerve stimulation and histamine, 27
——, effect on response of sympathetic nerve–ductus deferens preparation to electrical stimulation, 190
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
——, effect on uptake and output of noradrenaline by isolated atrium, 347
α-Cocaine, effect on pressor action of noradrenaline and uptake of noradrenaline by heart, in pithed rat, 356
Codeine, antitussive action of, 212
——, effect on intestinal motility, 214
——, toxicity of, 211
Cold. *See* Stress
Compound 48/80, effect on histidine decarboxylase activity in rat liver and pyloric stomach, 363
Convulsant action, of dioxone and leptazol, in morphine-treated rabbit, 235
Corticosteroids, effect on histaminase activity in rat ileum, 364
——, effect on histamine and 5-hydroxytryptamine metabolism, in rat, 360
——, effect on 5-hydroxytryptophan-decarboxylase activity in rat liver and kidney, 366
Cortisone, effect on formaldehyde- and histamine-induced inflammation, in mouse, 165
——, effect on histidine-decarboxylase activity of rat liver and pyloric stomach, 362
Corynebacterium diphtheriae, sensitivity to cephalosporin C and its pyridinium derivative, 173
Cough. *See* Antitussive action
Creatine, effect on ventral root potentials in isolated toad spinal cord, 262
Creatinine, effect on ventral root potentials in isolated toad spinal cord, 262
Cryptococcus neoformans, sensitivity to cephalosporin C and its pyridinium derivative, 173
Cyanide, response of carotid chemoreceptors to, effect of hexamethonium on, 15
Cyclizine, effect on apomorphine-induced emesis and pecking, in pigeon, 141
L-Cysteic acid, effect on ventral root potentials in isolated toad spinal cord, 262

D

Decapitation, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 131
Decerebration, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 131
Deoxycortone, effect on histidine decarboxylase activity of rat liver and pyloric stomach, 362
DL-α,ε-Diaminopimelic acid, effect on ventral root potentials in isolated toad spinal cord, 262
Dibenamine, effect on amine content of aortic plasma, 111
——, effect on pressor action of noradrenaline and uptake of noradrenaline by heart, in pithed rat, 357
——, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 134
——, response of blood pressure and heart beat to, in ganglionic blockade, 12
Dichloroisoprenaline (*dichloroisoproterenol*):
——, effect on pressor action of noradrenaline and uptake of noradrenaline by heart, in pithed rat, 357
——, effect on response of blood pressure to adrenaline, in phenoxybenzamine-treated dog, 12
——, effect on response of blood pressure to phenoxybenzamine in ganglionic blockade, 12
Dichloroisoprenaline (*cont.*)
——, effect on response of heart beat to adrenaline, in phenoxybenzamine-treated and untreated dog, 12
——, effect on response of uterus to adrenaline, 124
——, response of heart beat to, and effect of adrenaline and phenoxybenzamine on, in ganglionic blockade, 12
Dichloroisoproterenol. *See* Dichloroisoprenaline
1-(3,4-Dichlorophenyl)-2-isopropylaminoethanol. *See* Dichloroisoprenaline
5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole, pharmacological actions and toxicity of, 209
5,5-Diethyl-1,3-oxazine-2,4-dione, effect on response of blood pressure and respiration to carotid occlusion and stimulation of Hering's and vagus nerves, 239
——, response of circulation and respiration to, in anaesthetized, decerebrate and spinal animals, 231
Dihydroergotamine, effect on apomorphine-induced emesis and pecking, in pigeon, 142
——, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 133
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Dihydroxy-L-phenylalanine, effect on action of reserpine on pressor action of eserine, in rat, 101
Dihydroxyphenylalanine, effect on action of bretylium and cocaine on response of blood pressure to tyramine, in rat, 322, 323
——, effect on response of blood pressure to tyramine, in rat, 321
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
NN-Dimethyl-β-alanine, effect on ventral root potentials in isolated toad spinal cord, 262
3-(2-Dimethylaminoethyl)indole, effect on amine-oxidase activity, 153
3-(2-Dimethylaminoethyl)-2-methylindole, effect on amine-oxidase activity, 153
NN-Dimethyl-DL-aspartic acid, effect on ventral root potentials in isolated toad spinal cord, 262
Dimethylphenylpiperazinium iodide, response of blood pressure to, effect of Oxolamine on, 214
——, response of small intestine to, effect of Oxolamine and papaverine on, 214
Dimethyltryptamine. *See* 3-(2-Dimethylaminoethyl)-indole
2,4-Dinitrophenol, effect on liver reduced glutathione, in rat, 182
Dioxone. *See* 5,5-Diethyl-1,3-oxazine-2,4-dione
Diphenhydramine, effect on apomorphine-induced emesis and pecking, in pigeon, 142
Diphenylhydantoin. *See* Phenytoin
Di*iso*propylfluorophosphonate. *See* Dyflos
Diuretic action, of chlorothiazide and choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 70
Dopamine, effect on response of isolated perfused lung to sympathetic stimulation, 199
——, effect on response of small intestine to histamine, and action of atropine, bretylium, cocaine and morphine, 27
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
——, response of isolated perfused dog lung to, 195
Dorsal root potentials, *in-vivo* effect of bromolysergic acid diethylamide, lysergic acid diethylamide and substance P on, 254

Dyflos (*di*isopropylfluorophosphonate):
——, effect on formaldehyde-induced inflammation, in atropinized normal and adrenalectomized mice, 165
——, effect on histochemical cholinesterase activity in central nervous system, in chicken, 223
Dyflos poisoning, effect on histochemical cholinesterase activity in central nervous system, in chicken, 224

E

Edrophonium, effect on formaldehyde-induced inflammation, in atropinized mouse, 165
Electrocardiogram, effect of dioxone on, 239
Electroencephalogram, effect of lignocaine and *o*-methyl-α-propylaminopropionanilide on, 39
Emesis, apomorphine-induced, effect of antiemetics, antihistaminics, autonomic-blocking agents, and central-nervous depressants and stimulants on, in pigeon, 137
Ephedrine, effect on formaldehyde-induced inflammation, in mouse, 165
——, effect on response of small intestine to histamine, and action of atropine, bretylium, cocaine and morphine, 29
Ergotoxine, effect on apomorphine-induced emesis and pecking, in pigeon, 142
Escherichia coli, sensitivity to cephalosporin C and its pyridinium derivative, 173
Eserine. *See* Physostigmine
Ethanolamine, effect on ventral root potentials in isolated toad spinal cord, 262
Ethopropazine, effect on histochemical cholinesterase activity in central nervous system, in chicken, 224
Ethylfluoren-9-yl(2-iodoethyl)amine, response of blood pressure to, and effect of adrenalectomy, adrenaline, hexamethonium, noradrenaline and reserpine on, 77

F

Fludrocortisone, effect on histidine-decarboxylase activity of rat liver and pyloric stomach, 362
Formaldehyde, induction of inflammation by, and effect of analgesics–antipyretics, antiesterases, α-aryloxypropionates, cortisone, ephedrine, mepyramine, methocarbamol, tolazoline and other substances on, in mouse, 163
Fundus, rat, oxidation of 5-hydroxytryptamine, tryptamine, and tyramine by, and effect of substances which antagonize 5-hydroxytryptamine more than tryptamine on rat fundus strip, 156

G

Ganglia, dorsal root, histochemical cholinesterase activity in, in normal and organophosphate-poisoned chickens, 221, 224
Ganglionectomy, effect on response of salivary glands to noradrenaline, 316
Ganglionic blockade, effect of adrenaline on response of heart beat to phenoxybenzamine during, 12
——, effect of dichloroisoproterenol on response of blood pressure to phenoxybenzamine during, 12
——, effect of guanethidine on response of blood pressure and heart beat to reserpine during, 10
——, effect of guanethidine and reserpine on response of blood pressure and heart beat to phenoxybenzamine during, 7
——, response of blood pressure and heart beat to dibenamine and phentolamine during, 12
Ganglionic blockade (*cont.*)
——, response of heart beat to dichloroisoproterenol during, and effect of adrenaline and phenoxybenzamine on, 12
Gentisate, effect on formaldehyde-induced inflammation, in mouse, 165
——, effect on liver reduced glutathione, in rat, 182
D-, L- *and* DL-Glutamic acid, effect on ventral root potentials in isolated toad spinal cord, 262
L-Glutamine, effect on ventral root potentials in isolated toad spinal cord, 262
α-Glutarobetaine, effect on ventral root potentials in isolated toad spinal cord, 262
Glutathione, reduced, estimation of, 181
——, ——, in liver, effect of benzoate, 2,4-dinitrophenol, gentisate, hydroxybenzoates, phenazone and salicylate on, in male and female rats, 180
Glycine, effect on ventral root potentials in isolated toad spinal cord, 262
Glycocyamine, effect on ventral root potentials in isolated toad spinal cord, 262
Glycogen, in endometrium and horns of guinea-pig uterus, and effect of adrenaline on, 125
Glycogenolytic action, of adrenaline, 126
Guanethidine, effect on response of blood pressure and heart beat to phenoxybenzamine in ganglionic blockade, 9
——, effect on response of blood pressure and heart beat to reserpine in ganglionic blockade, 10
——, effect on response of salivary glands to noradrenaline, 315
γ-Guanidinobutyric acid, effect on ventral root potentials in isolated toad spinal cord, 262
β-Guanidinopropionic acid, effect on ventral root potentials in isolated toad spinal cord, 262
δ-Guanidinovaleric acid, effect on ventral root potentials in isolated toad spinal cord, 262
Guinea-pig, histochemical cholinesterase activity in central nervous system of, 225

H

***Haemophilus* spp.,** sensitivity to cephalosporin C and its pyridinium derivative, 173
2-Halogenoethylamines, pressor and vasoconstrictor actions of, and effect of reserpine on, 77
Harmaline, effect on amines in aortic plasma, 111
Heart, rat, adrenaline and noradrenaline in, and effect of cocaine and pithing on, 353
——, uptake of noradrenaline by, effect of amethocaine, atropine, cocaine, α-cocaine, dibenamine and dichloroisoprenaline on, in pithed rat, 352
See also Atrium
Heart beat, of hearts isolated from normal and reserpine-treated dogs, response to adrenaline and mephentermine, 309
——, response to adrenaline, effect of dichloroisoproterenol on, in phenoxybenzamine-treated dog, 12
——, ——, effect of dichloroisoproterenol and phenoxybenzamine on, 12
——, response to bemegride, dioxone, leptazol and nikethamide, 239
——, response to choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 69, 70
——, response to dibenamine and phentolamine, in ganglionic blockade, 12

Heart beat (*cont.*)
——, response to dichloroisoproterenol, and effect of adrenaline and phenoxybenzamine on, in ganglionic blockade, 12
——, response to 2-halogenoethylamines, 79
——, response to pentolinium, and effect of phenoxybenzamine on, 7
——, response to phenoxybenzamine, effect of adrenaline on, in ganglionic blockade, 12
——, ——, and effect of atropine and ganglion-blocking agents on, in guanethidine- and reserpine-treated and untreated dogs, 6
——, ——, effect of cocaine and iproniazid on, in ganglionic blockade, 11
——, response to phenoxybenzamine and reserpine, in vagotomized dog, 14
——, response to reserpine, effect of guanethidine on, in ganglionic blockade, 10
Heart–lung–liver preparation, cat, metabolism of histamine in, 203
Heart rate. *See* Heart beat
Hering's nerve, electrical stimulation of, response of blood pressure and respiration to, effect of dioxone on, 240
Hexamethonium, effect on response of blood pressure and heart beat to phenoxybenzamine, in guanethidine- and reserpine-treated and untreated dogs, 9
——, effect on response of carotid chemoreceptors to cyanide and nicotine, 15
——, effect on response of small intestine to adrenergic-nerve stimulation and histamine, 27
——, response of blood pressure to, effect of phenoxybenzamine on, 11
Hirudo medicinalis. *See* Leech
Histaminase activity, in rat ileum, effect of adrenalectomy and corticosteroids on, 364
——, inhibition by serpentine, 151
Histamine, distribution and metabolism of, in cat heart–lung–liver preparation, 203
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
——, excretion by rats, effect of aminoguanidine, castration, oestrus, ovariectomy, sex hormones and SKF 525-A on, 50
——, formation of, effect of adrenalectomy, corticosteroids, histamine liberators and stress on, in rat, 360
——, induction of inflammation by, and effect of α-aryloxypropionates, cortisone, salicylate and mepyramine on, in mouse, 163
——, mechanism and site of conjugation in male rat, 55
——, response of small intestine to, effect of adrenergic-nerve stimulation on, and action of atropine, bretylium, cocaine, hexamethonium, morphine and nalorphine on, 24
——, ——, effect of aminoguanidine and serpentine on, and action of atropine, 147
——, ——, effect of choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate on, 66
——, ——, effect of morphine on, 27
——, ——, effect of Oxolamine and papaverine on, 214
——, ——, effect of sympathomimetic amines on, and action of atropine, bretylium, cocaine and morphine, 27
——, response of tracheal-chain preparation to, effect of aminoguanidine and serpentine on, 150
——, response of uterus to, effect of serpentine on, 150
[^{14}C]-Histamine, and metabolites, isotope-dilution assay for, in blood and tissues, 205
Histamine liberators, effect on histidine-decarboxylase activity of rat liver and pyloric stomach, 363
Histidine-decarboxylase activity, in rat liver and pyloric stomach, effect of adrenalectomy, corticosteroids, histamine liberators and stress on, 362
DL-Homocysteic acid, effect on ventral root potentials in isolated toad spinal cord, 262
Hormones, effect on response of uterus to catechol amines, 118
——, sex, effect on histamine excretion, in rat, 50
***m-* and *p*-Hydroxybenzoates,** effect on liver reduced glutathione, in rat, 182
β-Hydroxy-DL-glutamic acid, effect on ventral root potentials in isolated toad spinal cord, 262
5-Hydroxyindolylacetic acid, urinary excretion of, effect of antibiotics on, 95
5-Hydroxytryptamine, binding by plasma protein, effect of pH on, 286
——, effect on action of reserpine on pressor action of eserine, in rat, 102
——, effect on apomorphine-induced emesis and pecking, in pigeon, 140
——, effect on response of leech dorsal muscle to acetylcholine, nicotine and potassium ions, 258
——, in organs and tissues, effect of antibiotics on, in mouse and rat, 90
——, oxidation by guinea-pig liver and rat fundus, and effect of substances which antagonize 5-hydroxytryptamine more than tryptamine on rat fundus strip on, 156
——, release from small intestine, effect of neomycin on, 95
——, response of leech dorsal muscle to, 257
——, uptake by platelets, effect of chlorpromazine, cocaine, dihydroergotamine, imipramine, lysergic acid diethylamide, tryptamine, and other substances on, 284
——, ——, effect of glucose, nitrogen, oxygen and pH on, 284
5-Hydroxy-DL-tryptophan, effect on uptake of 5-hydroxytryptamine by platelets, 291
5-Hydroxytryptophan-decarboxylase activity, in rat liver and kidney, effect of corticosteroids on, 366
Hydroxyzine, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Hyoscine, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Hyoscine butylbromide, effect on apomorphine-induced emesis and pecking, in pigeon, 142
Hypertensive action. *See* Blood pressure
Hypnotics, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Hypotensive action. *See* Blood pressure
Hypothermia, effect on pressor action of eserine, in rat, 104

I

N-Iminomethyl-L-aspartic acid, effect on ventral root potentials in isolated toad spinal cord, 262
Imipramine, effect on uptake of 5-hydroxytryptamine by platelets, 291
Inflammation, formaldehyde- and histamine-induced, and effect of analgesics–antipyretics, antiesterases, α-aryloxypropionates, cortisone, ephedrine, mepyramine, methocarbamol, tolazoline, and other substances on, in mouse, 163

Inotropic action. *See* Heart beat
Insomnia, effect of amylobarbitone, butobarbitone and quinalbarbitone on, in psychiatric patients, 82
Intestinal motility, response to atropine, codeine and Oxolamine, 214
Intestine, small, bacteria and 5-hydroxytryptamine in, effect of antibiotics on, in mouse and rat, 90
——, ——, from neomycin-treated rat, release of 5-hydroxytryptamine from, 95
——, ——, histaminase activity in, effect of adrenalectomy and corticosteroids on, in rat, 364
——, ——, response to acetylcholine, effect of atropine on, 26
——, ——, ——, effect of serpentine on, 149
——, ——, response to acetylcholine, barium chloride, dimethylphenylpiperazinium iodide and histamine, effect of Oxolamine and papaverine on, 214
——, ——, response to acetylcholine and histamine, effect of choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 66
——, ——, response to adrenergic-nerve stimulation and histamine, and effect of atropine, bretylium, cocaine, hexamethonium, morphine and nalorphine on, 23
——, ——, response to histamine, effect of aminoguanidine and serpentine on, 147
——, ——, ——, effect of morphine on, 27
——, ——, ——, effect of sympathomimetic amines on, and action of atropine, bretylium, cocaine and morphine, 27
——, ——, response to leech extracts, and effect of atropine, lysergic acid diethylamide and mepyramine on, 259
Iproniazid, effect on amine-oxidase activity, 158
——, effect on amines in aortic plasma, 111
——, effect on apomorphine-induced emesis and pecking, in pigeon, 140
——. effect on response of blood pressure and heart beat to phenoxybenzamine in ganglionic blockade, 11
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Isethionic acid, effect on ventral root potentials in isolated toad spinal cord, 262
DL-**Isoasparagine,** effect on ventral root potentials in isolated toad spinal cord, 262
3-Isobutyl-1-methyl-6-thioxanthine, choline salt of, pharmacological actions and toxicity of, 59
L-**Isoglutamine,** effect on ventral root potentials in isolated toad spinal cord, 262
DL-**Isoleucine,** effect on ventral root potentials in isolated toad spinal cord, 262
Isoprenaline, effect on response of tracheal-chain preparation to pilocarpine, action of bretylium, 322
——, effect on response of uterus to acetylcholine, action of bretylium, 333
——, effect on response of uterus to adrenaline, 123
——, response of blood pressure and nictitating membrane to, effect of bretylium on, in intact, vagotomized and spinal vagotomized cats, 328
——, response of uterus to, 116
Isoprenaline-like substance, from adrenaline, 108
Isopropylisoniazid, effect on action of reserpine on pressor action of eserine, in rat, 102

J

J 11. *See* (2-Bromoethyl)ethyl(naphth-1-ylmethyl)amine
JFA 8. *See* (*p*-Chlorobenzyl)(2-chloroethyl)ethylamine
Jejunum. *See* Intestine, small

K

Kidney, 5-hydroxytryptophan-decarboxylase activity in, effect of corticosteroids on, in rat, 366

L

L 67. *See* *o*-Methyl-α-propylaminopropionanilide
Leech, acetone extracts of, response of small intestine and uterus to, and effect of atropine, lysergic acid diethylamide and mepyramine on, 259
——, dorsal muscle of, response to acetylcholine, effect of 5-hydroxytryptamine and lysergic acid diethylamide on, 258
——, ——, response to 5-hydroxytryptamine, 257
——, ——, response to nicotine and potassium ions, effect of 5-hydroxytryptamine on, 257
Leptazol (*Metrazol*):
——, effect on apomorphine-induced emesis and pecking, in pigeon, 140
——, response of blood pressure to, in anaesthetized, curarized, decerebrate and spinal animals, 238
——, response of heart beat to, 239
——, response of respiration to, in anaesthetized, decerebrate and spinal animals, 233
L-**Leucine,** effect on ventral root potentials in isolated toad spinal cord, 262
Levorphanol, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Lignocaine, anaesthetic and other pharmacological actions and toxicity of, 34
Liver, formation of isoprenaline-like substance from adrenaline in, 112
——, guinea-pig, oxidation of 5-hydroxytryptamine, tryptamine and tyramine by, and effect of substances which antagonize 5-hydroxytryptamine more than tryptamine on rat fundus strip, 156
——, rat, histidine-decarboxylase activity in, effect of adrenalectomy, corticosteroids, histamine liberators and stress on, 362
——, ——, 5-hydroxytryptophan-decarboxylase activity in, effect of corticosteroids on, 366
——, ——, reduced glutathione in, effect of benzoate, 2,4-dinitrophenol, gentisate, hydroxybenzoates, phenazone and salicylate on, 180
Lung, isolated perfused dog, response to adrenaline, dopamine and noradrenaline, 195
——, ——, response to sympathetic stimulation, effect of dopamine on, 199
Lysergic acid diethylamide, effect on *in-vivo* action of substance P on dorsal root potentials, 253
——, effect on apomorphine-induced emesis and pecking, in pigeon, 140
——, *in-vivo* effect on dorsal root potentials, and action of bromolysergic acid diethylamide and substance P on, 253
——, effect on response of leech dorsal muscle to acetylcholine, 259
——, effect on uptake of 5-hydroxytryptamine by platelets, 291

M

M & B 5924. *See* Choline 3-isobutyl-1-methyl-6-thioxanthinate
D- *and* L-**Malic acid,** effect on ventral root potentials in isolated toad spinal cord, 262
Megimide. *See* Bemegride
Mephenesin, antitetanus action of, effect of acepromazine and chlorpromazine on, 300

Mephenesin (*cont.*)
——, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Mephentermine, response of heart isolated from reserpine-treated and untreated dogs to, 309
Meprobamate, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Mepyramine, effect on histamine-induced inflammation, in mouse, 166
——, effect on response of small intestine to choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 67
Mescaline, effect on uptake of 5-hydroxytryptamine by platelets, 291
Metabolism, of histamine in cat heart–lung–liver preparation, 203
Methocarbamol, effect on formaldehyde-induced inflammation, in mouse, 165
Methotrimeprazine, antitetanus action of, 305
——, in tetanus, in man, 305
N-Methyl-β-alanine, effect on ventral root potentials in isolated toad spinal cord, 262
Methylamphetamine, effect on apomorphine-induced emesis and pecking, in pigeon, 140
N-Methyl-DL-asparagine, effect on ventral root potentials in isolated toad spinal cord, 262
N-Methyl-D-, -L- *and* -DL-aspartic acid, effect on ventral root potentials in isolated toad spinal cord, 262
Methyl-4β-chloroethyl-5-thiazol. *See* 5-(2-Chloroethyl)-4-methylthiazole
2-Methyldimethyltryptamine. *See* 3-(2-Dimethylaminoethyl)-2-methylindole
2-**Methylfludrocortisone,** effect on histidine-decarboxylase activity in rat liver and pyloric stomach, 362
α-Methyl-DL-glutamic acid, effect on ventral root potentials in isolated toad spinal cord, 262
N-Methyl-L- *and* -DL-glutamic acid, effect on ventral root potentials in isolated toad spinal cord, 262
Methylpentynol carbamate, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Methylphenidate, effect on apomorphine-induced emesis and pecking, in pigeon, 140
o-Methyl-α-propylaminopropionanilide, anaesthetic and other pharmacological properties and toxicity of, 32
N-Methyltaurine, effect on ventral root potentials in isolated toad spinal cord, 262
***O*-Methyl-transferase inhibitors,** effect on amines in aortic plasma, 111
Methysergide, effect on uptake of 5-hydroxytryptamine by platelets, 291
Metrazol. *See* Leptazol
Mipafox, effect on histochemical cholinesterase activity in central nervous system, in chicken, 223
Morphine, effect on action of dopamine, ephedrine and noradrenaline on response of small intestine to histamine, 28
——, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, effect on response of blood pressure to dioxone, 238
——, effect on response of respiration to dioxone and leptazol, 235
——, effect on response of small intestine to adrenergic-nerve stimulation and histamine, and action of nalorphine, 23
——, effect on response of small intestine to histamine, 27
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Motility. *See* Activity
Mycobacterium tuberculosis, sensitivity to cephalosporin C and its pyridinium derivative, 173

N

Nalorphine, effect on action of morphine on response of small intestine to adrenergic-nerve stimulation and histamine, 25
——, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, effect on response of small intestine to adrenergic-nerve stimulation and histamine, 25
***Neisseria* spp.,** sensitivity to cephalosporin C and its pyridinium derivative, 173
Neomycin, effect on body and splenic weights, 5-hydroxytryptamine content of organs and tissues, and intestinal flora, in mouse and rat, 90
——, effect on release of 5-hydroxytryptamine from small intestine, 95
——, effect on urinary 5-hydroxyindolylacetic acid excretion, in rat, 95
Neostigmine, effect on formaldehyde-induced inflammation, in atropinized mouse, 165
Nerves, adrenergic, of isolated guinea-pig jejunum, effect of atropine, bretylium, cocaine, hexamethonium, morphine and nalorphine on, 23
Nervous system, central, histochemical cholinesterase activity in, and selective neurotoxicity of organophosphorus compounds, in chicken 218
Neurotoxicity, selective, of organophosphorus compounds, and histochemical cholinesterase activity in central nervous system, in chicken, 218
Nicotine, response of carotid chemoreceptors to, effect of hexamethonium on, 15
——, response of isolated atrium to, and effect of bretylium, noradrenaline and reserpine on, 335
——, response of leech dorsal muscle to, effect of 5-hydroxytryptamine on, 259
Nictitating membrane, response to adrenaline, isoprenaline and noradrenaline, effect of bretylium on, in intact, vagotomized and spinal vagotomized cats, 328
——, response to Oxolamine, 214
Nikethamide, response of heart beat to, 239
Nitrate, effect on response of uterus to oxytocin, 46
Noradrenaline, effect on action of bretylium and cocaine on response of blood pressure to tyramine, in rat, 320
——, effect on action of reserpine on pressor action of eserine, in rat, 100
——, effect on action of reserpine on response of blood pressure to 2-halogenoethylamines, 79
——, effect on pressor action of eserine, in rat, 100
——, effect on response of blood pressure to tyramine, in rat, 320
——, effect on response of isolated atrium to nicotine and tyramine, 335
——, effect on response of small intestine to histamine, and action of atropine, bretylium, cocaine and morphine, 27
——, effect on response of sympathetic nerve–ductus deferens preparation to electrical stimulation, and action of reserpine, 191
——, effect on uptake and output of noradrenaline by isolated atrium, 348
——, in rat heart and spleen, and effect of cocaine and pithing on, 353
——, pressor action of, effect of choline 2,6-xylyl ether on, in rat, 105
——, response of aortic-strip preparation to, effect of bretylium on, 330

Noradrenaline (*cont.*)
——, response of blood pressure to, and effect of amethocaine, atropine, cocaine, α-cocaine, dibenamine and dichloroisoprenaline on, in pithed rat, 355
——, ——, effect of phenoxybenzamine on, in ganglionic blockade, 11
——, response of blood pressure and nictitating membrane to, effect of bretylium on, in intact, vagotomized and spinal vagotomized cats, 328
——, response of isolated atrium to, effect of reserpine on, 339
——, response of isolated perfused dog lung to, 196
——, response of salivary glands to, effect of bretylium and guanethidine on, 316
——, response of uterus to, 116
——, uptake by heart, and effect of amethocaine, atropine, cocaine, α-cocaine, dibenamine, and dichloroisoprenaline on, in pithed rat, 352
——, uptake by spleen, and effect of cocaine on, in pithed rat, 352
——, uptake and output of, by isolated atrium, and effect of cocaine, noradrenaline and tyramine on, 344
DL-**Norleucine,** effect on ventral root potentials in isolated toad spinal cord, 262
DL-**Norvaline,** effect on ventral root potentials in isolated toad spinal cord, 262

O

Oestradiol, effect on response of uterus to catechol amines, 118
Oestrogen, effect on histamine excretion by male and female rats, 50
Oestrus, effect on histamine excretion by female rat, 53
——, effect on potassium and sodium contents of guinea-pig uterus, 124
Organophosphorus compounds, selective neurotoxicity of, and histochemical cholinesterase activity in central nervous system, in chicken, 218
Ouabain, effect on uptake of 5-hydroxytryptamine by platelets, 291
Ovariectomy, effect on histamine excretion by female rat, 52
Oxolamine. *See* 5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole
pp'-3-Oxopentamethylenebis(trimethylphenylammonium iodide), effect on histochemical cholinesterase activity in central nervous system, in chicken, 224
Oxygen consumption, response to pentobarbitone, effect of dioxone and leptazol on, in rat, 234
Oxytetracycline, with and without streptomycin, effect on body and splenic weights, 5-hydroxytryptamine content of organs, and intestinal flora, in mouse and rat, 90
Oxytocin, and synthetic analogues, *in-vitro* and *in-vivo* assays of, 248
——, ——, intravenous, duration of action and persistence in circulation, in rat, 244
——, response of blood pressure to, and effect of autonomic-blocking agents, decapitation, decerebration, progesterone and stilboestrol on, in chicken, 129
——, ——, effect of reserpine on, and action of noradrenaline, in chicken, 134
——, response of uterus to, effect of ion changes on, 45

P

Papaverine, antispasmodic action of, 214
Paracetamol (N-*acetyl*-p-*aminophenol*):
——, effect on formaldehyde-induced inflammation, in mouse, 165
Pecking, apomorphine-induced, effect of antiemetics, antihistaminics, autonomic-blocking agents, and central-nervous depressants and stimulants on, in pigeon, 137
Pempidine, effect on response of blood pressure and heart beat to phenoxybenzamine, in guanethidine- and reserpine-treated and untreated dogs, 9
Penicillinase activity, of staphylococci, 175
Pentobarbitone, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, response of respiration to, effect of dioxone, leptazol and bemegride on, 233
Pentolinium, effect on response of blood pressure and heart beat to phenoxybenzamine, in guanethidine- and reserpine-treated and untreated dogs, 7
——, response of blood pressure and heart beat to, and effect of phenoxybenzamine on, 7
Phenazone (*antipyrin*):
——, effect on liver reduced glutathione, in rat, 182
Phenobarbitone, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, response of respiration to, effect of dioxone and leptazol on, 233
Phenothiazine derivatives, antitetanus action of, tachyphylaxis to, 296
Phenoxybenzamine, effect on action of dichloroisoproterenol on response of blood pressure and heart beat to adrenaline, 12
——, effect on response of blood pressure to adrenaline and noradrenaline in ganglionic blockade, 11
——, effect on response of blood pressure to hexamethonium, 11
——, effect on response of heart beat to adrenaline and dichloroisoproterenol, 12
——, response of blood pressure to, effect of dichloroisoproterenol on, in ganglionic blockade, 12
——, response of blood pressure and heart beat to, and effect of atropine and ganglion-blocking agents on, in guanethidine- and reserpine-treated and untreated dogs, 6
——, ——, effect of cocaine and iproniazid on, in ganglionic blockade, 11
——, response of heart beat to, effect of adrenaline on, in ganglionic blockade, 12
——, ——, effect of reserpine on, in vagotomized dog, 14
Phentolamine, effect on amines in aortic plasma, 111
——, response of heart to, in ganglionic blockade, 12
Phenylalanyl^3-oxytocin, intravenous, duration of action and persistence in circulation, in rat, 244
Phenylbutazone, anti-inflammatory and antipyretic actions of, 215
——, effect on formaldehyde-induced inflammation, in mouse, 165
Phenytoin (*diphenylhydantoin*):
——, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Physostigmine (*eserine*):
——, effect on formaldehyde-induced inflammation, in atropinized mouse, 165
——, pressor action of, effect of bretylium on, and action of cocaine, in rat, 99
——, ——, effect of choline 2,6-xylyl ether, hypothermia and noradrenaline on, in rat, 99

Physostigmine, pressor action of (*cont.*)
——, ——, effect of reserpine on, and action of dihydroxyphenylalanine, 5-hydroxytryptamine, isopropylisoniazid and noradrenaline, in rat, 99
Pilocarpine, response of tracheal-chain preparation to, effect of adrenaline and isoprenaline on, and action of bretylium, 322
Pneumococci, sensitivity to cephalosporin C and its pyridinium derivative, 173
Polymyxin B, effect on histidine-decarboxylase activity of rat liver and pyloric stomach, 363
Potassium ions, in guinea-pig uterus, effect of oestrus on, 124
——, response of leech dorsal muscle to, effect of 5-hydroxytryptamine on, 259
——, urinary excretion of, effect of chlorothiazide, choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate on, 70
Prednisolone, effect on histidine-decarboxylase activity of rat liver and pyloric stomach, 362
Pressor action. *See* Blood pressure
Procaine, anaesthetic action and toxicity of, 35
——, effect on apomorphine-induced emesis and pecking, in pigeon, 140
Prochlorperazine, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Progesterone, with and without stilboestrol, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 134
Promethazine, antiacetylcholine and antihistaminic actions of, 64
——, effect on apomorphine-induced emesis and pecking, in pigeon, 142
——, effect on uptake of 5-hydroxytryptamine by platelets, 291
Promethazine theoclate, effect on apomorphine-induced emesis and pecking, in pigeon, 141
β-Propiobetaine hydrochloride, effect on ventral root potentials in isolated toad spinal cord, 262
Proteus vulgaris, sensitivity to cephalosporin C and its pyridinium derivative, 173
Pseudomonas pyocyanea, sensitivity to cephalosporin C and its pyridinium derivative, 173
Pyrogallol, effect on amines in aortic plasma, 111

Q

Quinalbarbitone, effect on insomnia and nocturnal restlessness, in psychiatric patients, 82

R

Rabbit, histochemical cholinesterase activity in central nervous system of, 225
Rat, histochemical cholinesterase activity in central nervous system of, 225
——, nephrectomized and without splanchnic circulation, tritium-oxide space in, 248
Rauwolscine, effect on apomorphine-induced emesis and pecking, in pigeon, 142
Reflexes, spinal, in isolated toad spinal cord, effect of amino-acids on, 262
Reserpine, effect on action of noradrenaline on response of sympathetic nerve–ductus deferens preparation to electrical stimulation, 192
——, effect on amines in aortic plasma, 111
——, effect on apomorphine-induced emesis and pecking, in pigeon, 141
——, effect on mechanical efficiency of isolated heart, 313
Reserpine (*cont.*)
——, effect on pressor action of eserine, and action of dihydroxyphenylalanine, 5-hydroxytryptamine, isopropylisoniazid and noradrenaline on, in rat, 100
——, effect on response of blood pressure to 2-halogenoethylamines, and action of adrenaline and noradrenaline, in normal and adrenalectomized rats, 79
——, effect on response of blood pressure to oxytocin and vasopressin, and action of noradrenaline, 134
——, effect on response of blood pressure to tyramine, in chicken, 134
——, effect on response of blood pressure and heart beat to phenoxybenzamine in ganglionic blockade, 9
——, effect on response of heart beat to phenoxybenzamine, in vagotomized dog, 14
——, effect on response of isolated atrium to nicotine and tyramine, 339
——, effect on response of isolated atrium to noradrenaline, 339
——, effect on response of isolated heart to adrenaline and mephentermine, 312
——, effect on response of sympathetic nerve–ductus deferens preparation to electrical stimulation, 192
——, response of blood pressure to, effect of cocaine on, in ganglionic blockade, 11
——, response of blood pressure and heart beat to, effect of guanethidine on, in ganglionic blockade, 10
——, response of isolated atrium to, 339
Respiration, response to adrenaline, dopamine and noradrenaline, in isolated perfused dog lung, 198
——, response to bemegride (*Megimide*), dioxone and leptazol, in anaesthetized, decerebrate and spinal animals, 231
——, response to carotid occlusion and stimulation of Hering's and vagus nerves, 239
——, response to intracarotid cyanide and nicotine, effect of hexamethonium on, 15
——, response to lignocaine and *o*-methyl-α-propylaminopropionanilide, 36
——, response to Oxolamine, 214
Righting reflex, effect of lignocaine and *o*-methyl-α-propylaminopropionanilide on, 41

S

SKF 525-A, effect on histamine excretion, in rats, 55
SY 28. *See* (2-Bromoethyl)ethyl(naphth-1-ylmethyl)-amine
Salicylate, effect on formaldehyde- and histamine-induced inflammation, in normal and adrenalectomized mice, 165
——, effect on liver reduced glutathione, in rat, 180
Salivary glands, response to noradrenaline, effect of bretylium, ganglionectomy and guanethidine on, 315
Salmonella typhi, sensitivity to cephalosporin C and its pyridinium derivative, 173
Sciatic nerve, block by lignocaine and *o*-methyl-α-propylaminopropionanilide, 34
D- *and* L-**Serine,** effect on ventral root potentials in isolated toad spinal cord, 262
Serotonin. *See* 5-Hydroxytryptamine
Serpentine, antihistaminase action of, 147
——, effect on response of small intestine to acetylcholine and histamine, 147
——, effect on response of tracheal-chain preparation to histamine, 150
——, effect on response of uterus to histamine, 150

***Shigella* spp.**, sensitivity to cephalosporin C and its pyridinium derivative, 173
Sleep. *See* Insomnia
Sodium acetylsalicylate. *See under* Acetylsalicylic acid
Sodium α-*p*-carboxyphenoxypropionate, effect on formaldehyde-induced inflammation, in mouse, 165
Sodium cyanide. *See* Cyanide
Sodium α-*p*-diphenylyloxypropionate (*B.C. 8402*):
——, effect on formaldehyde- and histamine-induced inflammation, in mouse, 165
Sodium gentisate. *See* Gentisate
Sodium α-*p*-hydroxyphenoxypropionate, effect on formaldehyde-induced inflammation, in mouse, 165
Sodium ions, in guinea-pig uterus, effect of oestrus on, 124
——, urinary excretion of, effect of chlorothiazide, choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate on, 70
Sodium salicylate. *See* Salicylate
Sodium α-*p*-s-butylphenoxypropionate, effect on histamine-induced inflammation, in mouse, 166
——, with and without tolazoline, effect on formaldehyde-induced inflammation, in normal and adrenalectomized mice, 165
Spinal cord, cat, dorsal root potentials of, effect of bromolysergic acid diethylamide, lysergic acid diethylamide and substance P on, 253
——, histochemical cholinesterase activity in, normal and organophosphate-poisoned chickens, 220, 224
——, toad, isolated hemisected, ventral root potentials of, effect of amino-acids on, 262
Spleen, 5-hydroxytryptamine content and weight of, effect of antibiotics on, in mouse and rat, 91
——, rat, noradrenaline in, and effect of pithing on, 353
——, uptake of noradrenaline by, effect of cocaine on, 352
Staphylococci, development of resistance and sensitivity to cephalosporin C and its pyridinium derivative, 175
Stilboestrol, effect on histamine excretion by male rat, 50
——, with and without progesterone, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 134
Stomach, pyloric, histidine-decarboxylase activity in, effect of adrenalectomy, corticosteroids, histamine liberators and stress on, in rat, 362
Streptococcal infection, experimental, effect of cephalosporin C pyridinium derivative in, in mouse, 177
Streptococci, sensitivity to cephalosporin C and its pyridinium derivative, 173
Streptomycin, with chlortetracycline, effect on urinary 5-hydroxyindolylacetic acid excretion, in rat, 95
——, with and without other antibiotics, effect on body and splenic weights, 5-hydroxytryptamine content of organs, and intestinal flora, in mouse and rat, 90
Stress, effect on histamine and 5-hydroxytryptamine metabolism, in rat, 363
Strychnine, effect on apomorphine-induced emesis and pecking, in pigeon, 140
Substance P, effect on *in-vivo* action of lysergic acid diethylamide on dorsal root potentials, 255
——, *in-vivo* effect on dorsal root potentials, and action of lysergic acid diethylamide, 253
β-Sulphamoyl-L-alanine, effect on ventral root potentials in isolated toad spinal cord, 262
Sulphate ions, effect on response of uterus to oxytocin, 46
Supersensitivity, of salivary glands induced by bretylium and guanethidine, 315
Sympathetic nerve–ductus deferens preparation, guinea-pig, preparation of, 188
Sympathetic nerve–ductus deferens preparation, guinea-pig (*cont.*)
——, ——, response to electrical stimulation, and effect of cocaine and noradrenaline on, and action of reserpine, 188
Sympathomimetic amines. *See under names of substances*

T

Tachyphylaxis, to antitetanus action of phenothiazine derivatives, 296
——, to response of blood pressure to tyramine, in rat, 321
Tartronic acid, effect on ventral root potentials in isolated toad spinal cord, 262
Taurine, effect on ventral root potentials in isolated toad spinal cord, 262
Testosterone, effect on histamine excretion by female rat, 50
Tetanus, experimental and phenothiazine-derivative-induced, differences between, 303
——, treatment with methotrimeprazine, in man, 305
Tetraethylammonium, effect on response of blood pressure to oxytocin and vasopressin, in chicken, 133
——, effect on response of blood pressure and heart beat to phenoxybenzamine, in guanethidine- and reserpine-treated and untreated dogs, 9
Thiopentone, antitetanus action of, effect of acepromazine and chlorpromazine on, 300
Thioxanthines, pharmacological actions and toxicity of, 59
Tidal volume. *See* Respiration
Toad, isolated hemisected spinal cord of, ventral root potentials of, effect of amino-acids on, 262
Tolazoline, with and without sodium α-*p*-s-butylphenoxypropionate, effect on formaldehyde-induced inflammation, in mouse, 165
Tracheal-chain preparation, guinea-pig, response to histamine, effect of aminoguanidine and serpentine on, 150
——, rabbit, response to pilocarpine, effect of adrenaline and isoprenaline on, and action of bretylium, 332
——, response to Oxolamine and papaverine, 214
Tranquillizers, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Triamcinolone, effect on histidine-decarboxylase activity of rat liver and pyloric stomach, 362
Tri-*o*-cresyl phosphate poisoning, effect on histochemical cholinesterase activity in central nervous system, in chicken, 224
Trifluoperazine, effect on uptake of 5-hydroxytryptamine by platelets, 291
Trifluopromazine, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Trimethadione, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Trimethobenzamide, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Triprolidine, effect on apomorphine-induced emesis and pecking, in pigeon, 141
Tritium, estimation in blood, 245
Tritium-oxide space, of nephrectomized rat without splanchnic circulation, 248
Tryptamine, effect on uptake of 5-hydroxytryptamine by platelets, 291
——, oxidation by guinea-pig liver and rat fundus and uterus, and effect of substances which antagonize 5-hydroxytryptamine more than tryptamine on rat fundus strip on, 156

Tryptamine (*cont.*)
——, uptake by platelets, effect of pH and temperature on, 287
L-**Tryptophan**, effect on uptake of 5-hydroxytryptamine by platelets, 291
Tyramine, effect on uptake of 5-hydroxytryptamine by platelets, 291
——, effect on uptake and output of noradrenaline by isolated atrium, 348
——, oxidation by guinea-pig liver and rat fundus and uterus, and effect of substances which antagonize 5-hydroxytryptamine more than tryptamine on rat fundus strip on, 156
——, response of blood pressure to, and effect of bretylium and cocaine on, and action of dihydroxyphenylalanine and noradrenaline, in rat, 320
——, ——, and effect of dihydroxyphenylalanine and noradrenaline on, in rat, 320
——, ——, effect of reserpine on, in chicken, 134
——, response of isolated atrium to, effect of bretylium, noradrenaline and reserpine on, 335

U

Urine, excretion of oral and parenteral cephalosporin C and its pyridinium derivative in, 176
Uterus, from oestrogen-treated and untreated guinea-pigs, response to adrenaline, isoprenaline and noradrenaline, 116
——, glycogen in horns and endometrium of, and effect of adrenaline on, 125
——, potassium and sodium in, effect of oestrus on, 124
——, rat, oxidation of tryptamine and tyramine by, and effect of iproniazid on, 160
——, rate of swelling of, in different solutions, 47
——, response to acetylcholine, effect of adrenaline and isoprenaline on, action of bretylium, 333
——, ——, effect of bretylium on, 333
——, response to histamine, effect of serpentine on, 150
Uterus (*cont.*)
——, response to leech extracts, and effect of atropine, lysergic acid diethylamide and mepyramine on, 259
——, response to oxytocin, effect of ion changes on, 45

V

Vagus nerve, electrical stimulation of, response of blood pressure to, effect of Oxolamine on, 214
——, ——, response of respiration to, effect of dioxone on, 240
L-**Valine**, effect on ventral root potentials in isolated toad spinal cord, 262
Valyl^3-oxytocin, intravenous, duration of action and persistence in circulation, in rat, 244
Vasoconstrictor action, of 2-halogenoethylamines, 79
——, pulmonary, of adrenaline, dopamine and noradrenaline, 196
Vasodilator action, of choline 3-isobutyl-1-methyl-6-thioxanthinate, theophyllinate and 6-thiotheophyllinate, 68
——, of lignocaine and *o*-methyl-α-propylaminopropionanilide, 36
Vasopressin, response of blood pressure to, and effect of autonomic-blocking agents, decapitation, decerebration, progesterone and stilboestrol on, in chicken, 129
——, ——, effect of reserpine on, and action of noradrenaline, in chicken, 134
Vibrio cholerae, sensitivity to cephalosporin C and its pyridinium derivative, 173

Y

Yohimbine, effect on apomorphine-induced emesis and pecking, in pigeon, 142

62C47. *See* *pp'*-3-Oxopentamethylenebis(trimethylphenylammonium iodide)

Printed in Great Britain by Fisher, Knight and Co., Ltd., Gainsborough Press, St. Albans.